

Phone : 25367033, 25367035, 25367036
दूरभाष : 25367033, 25367035, 25367036
Fax : 0091-11-25367024
E-mail : mci@bol.net.in
Website : www.mciindia.org



पॉकेट - 14, सेक्टर - 8,
द्वारका फेस- 1
नई दिल्ली-110 077
Pocket- 14, Sector- 8,
Dwarka Phase - 1
New Delhi-110077

भारतीय आयुर्विज्ञान परिषद्
MEDICAL COUNCIL OF INDIA

No. MCI - 211(2) (Gen.)/2014-Ethics/ 118642

Date: 14/06/17

The Director,
National Accreditaion Board for Testing &
Calibration Laboratories,
Secretariat, Plot No. 45,
Sector No. - 44,
Gurgaon - 122002, (Haryana).

Sub:- Letter/e-mail dated 12.08.2016 received from National Accreditation Board for Testing & Calibration Laboratories.

Sir,

Kindly refer to your e-mail letter dated 08.10.2014 along with letter dated 12.08.2014 to finalize the following information:-


- 1) Whether the M. Sc with Ph D candidates who as a matter of fact are not registered with MCI are eligible to sign medical laboratory reports?
- 2) Can persons holding MBBS degree registered with MCI/State Medical Council sign the medical test reports?
- 3) Can PhD (Medical Microbiology, Medical Biochemistry, Life Sciences, Applied Biology, Cytogenetics, Biotechnology) in relevant discipline be allowed to sign medical test reports? If not, can the same be allowed if they are co-authorized with a person registered with MCI/State Medical Council?

The above matter was considered by the Ethics Committee at its several meetings & lastly on 6th & 7th February, 2017. The decision of the Ethics Committee was placed before the Executive Committee for approval on 11.04.2017.

It was decided by the Executive Committee that "All lab reports to be signed/countersigned by persons registered with MCI/State Medical Council."

You are therefore requested to kindly abide the above said decision of the Council and widely publicise the above decision to all the concerned.

Yours faithfully,


(Dr. Parul Goel)
Deputy Secretary

CC:- The Secretary to the Govt. of India, Ministry of Health & Family Welfare, Nirman Bhawan, New Delhi.